

triton fabwall™

FABRIC WRAPPED HIGH SOUND ABSORBER PANEL



TECHNICAL DATA SHEET BPIR - CLASS 2



triton fabwall™

Fabric Wrapped High Sound Absorber Panel

Technical Data Sheet - BPIR Class 2

Triton Fabwall™ is a high sound absorbing fabric wrapped acoustic wall or ceiling panel designed to provide an attractive finish and control unwanted noise.

Application

Triton Fabwall 25™ NRC 0.85, for small rooms.
Triton Fabwall 40™ NRC 0.95, best for medium sized rooms.
Triton Fabwall 50™ NRC 1.00, best for office, school, libraries.
Triton Fabwall 75™ NRC 1.00,
Triton Fabwall 100™ NRC 1.00
Triton Fabwall 150™ NRC 1.00
Triton Fabwall 300™ NRC 1.00 best for max sound absorption. From low to high frequency, large volume spaces.

Composition

Manufactured in NZ from bio-soluble glass wool absorber with impact resistant Sonatex™ interlayer and wrapped in a range of decorative fabric finishes (polyester, wool, other).


Features & Benefits


- High sound absorption rating, NRC 0.85 to NRC 1.00.
- Provides a soft decorative finish to interiors.
- Rich palette of fabric finishes, textures and colours.
- Durable resilient composite construction for long life.
- Pre-fabricated for fast installation on site.
- Standard and custom sizes.
- Fire safe glass wool core, will not melt or burn like foam or polyester fibre panels.
- Fire Group 1-S (subject to fabric selection).
- Low VOC, Global GreenTag certified / Level A.

Technical Specifications

Sound Absorption Ratings: 'A' Mounting per ASTM C423, ISO 354, Test reports T0609-1,2,3,4,5.

Panel	Hz	125	250	500	1000	2000	4000
Fabwall 25	øp	0.15	0.35	0.85	1.00	1.00	1.00
Fabwall 40	øp	0.20	0.65	1.00	1.00	1.00	0.90
Fabwall 50	øp	0.35	0.85	1.00	1.00	1.00	0.95
Fabwall 75	øp	0.60	1.00	1.00	1.00	1.00	1.00
Fabwall 100	øp	0.90	1.00	1.00	1.00	1.00	0.90
Fabwall 150	øp	1.00	1.00	1.00	1.00	1.00	0.85
Fabwall 300	øp	1.00	1.00	1.00	1.00	1.00	0.85





Sizes:

Absorber Thickness: 25, 40, 50, 75, 100, 150, 300 mm.

Panel Width: 100 to 1200 mm.

Panel Length: 100 to 3000mm mm.

Made to measure sizes available to order, consult Asona Ltd.

Fabric Finishes:

Screen and partition fabrics from polyester, wool, hemp/linen other fabrics available to request. Fabric selection may affect fire and acoustic performance. Client supplied fabric subject to prior approval, contact Asona.

Environmental impact:

Global GreenTag Certified, Level A, core from 80% recycled local glass waste. Product can be renewed. Low VOC. <0.05.

Maintenance:

Clean with vacuum, soft brush or damp cloth. Re-surfacing of soiled panels available, consult Asona.

Limitations:

- For interior use only, and not in direct contact with water.
- Maximum humidity/temperature 90% R/H at 30°C.
- Panels with digital printed fabric must not butt together due to image creep formed during the printing process. If large panel images are required then use Snaptextstretch fabric system with wide format fabric.

NZ Building Act:

This product is not subject to a warning or ban under Section 26.

NZ Building Code Compliance:

- B2 Durability – Clause B2.3.1 (c) (i): Asona Triton Fabwall with only normal maintenance will have a minimum durability of at least 5 years when installed in accordance with manufacturer's installation requirements.
 - C3 Fire – Clause C/AS2 4.12.1: Asona Triton Fabwall with polyester fabric has a Fire Material Group Number 1-S by NZBC Building Product Specification Parts 8.5.4 or 8.5.5, tested in accordance with ISO 9705 or ISO 5660. (NCC BCA C1.10 clause 4, spec A2.4 clause 4. Group 1). BRANZ test report FI-14081.
- Other fabrics 2-S, 2 and 3. Please consult Asona

Warranty:

15 year limited warranty against manufacturing defects.

Weight:

2.5—4.5 kg/m²

Tolerances:

+/-3 mm

Installation:

Triton Fabwallpanels are a finishing trade. Installation shall not commence until the building is water tight and all work such as plastering, concrete, masonry, carpentry, painting is complete and site free of dust and debris. Not for high impact prone areas, consult Asona for impact resistant acoustic panels options.

Mounting System:

Wall mounting non accessible —concealed impaling plates with adhesive fix, or semi concealed side impaling brackets.

Wall mounting accessible— aluminium split rail and Z clips.

Ceiling mounting—semi concealed side impaling brackets.

Specification:

Acoustic wall panels shall be Asona Triton Fabwallfabric wrapped panels as manufactured by Asona Ltd Tel: 09 525 6575, email: info@asona.co.nz, module () x () mm, panel thickness (25)(40)(50)(75)(100)(150)(300) mm sound absorption NRC (0.85) (0.95)(1.00) Fire Group 1-S (other). Selected fabric finish shall be (woven polyester) (other) and laminated to the face, all edges and a return on the back. Installed with (impaling plates and adhesive) (semi concealed side impaling brackets) (concealed split rail and Z clip) by manufacturers approved fixer. Contractor shall flat pack packaging and return to Asona for reuse and register the panels with Asona Renew and Reuse product stewardship program on practical completion (NZ only). (Asona ceiling Masterspec 5172AA specification available).

